

Date of valid edition
2010-10-25

No:
5096

Date of issue
2010-10-25

Reference

Licensee's name and address

Conformity mark covered by license

Pipelife Sverige AB
514 84 Ölsremma



Information regarding licensee/manufacturer

Licensee's technical officer Magnus Nilsson	Telephone +46 513 221 00	Telefax +46 321 622 20
	E-mail magnus.nilsson@pipelife.se	
Manufacturer Pipilife Sverige AB	Place of manufacture Ölsremma	

Product covered by the licence

Type of product Plastics piping systems for non-pressure underground drainage and sewerage – Specifications for manholes and inspection chambers in traffic areas and deep underground installations	Standard Normative document EN 13598-2:2009	Specific rules INSTA SBC 13598-2
Specification of product UNI PP inspection chamber, riser 315 mm and connection sizes, solid pipes 110, 160 and 200 mm, buried outside the building structure (application area code "U"). UNI PP inspection chamber, riser 425 mm and connection sizes, solid pipes 110, 160 and 200 mm buried outside the building structure (application area code "U"). The chambers may be installed to a maximum depth of 6 m from ground level and may have a maximum depth of 4 m of groundwater above invert. Confidential information according to the enclosure.		

The licensee above is hereby given permission to use the INSTA-CERT mark on or in connection with products, which fulfil the requirements of the standard or the normative document specified above (what is said in this document about INSTA-CERT mark will also be valid for marks defined in relevant SBC). The certification licence is valid on the condition that the licensee complies with the "General rules for certification by partners of INSTA-CERT" (GRC) and the specific rules applying to certification of products of the type mentioned. The licensee is obliged to indemnify INSTA-CERT partners of any claim for damages or any other expenses to which partners may become liable as a result of injuries caused by a product manufactured or sold by the licensee. This also applies to defective or faulty products.

The licence is valid for one calendar year, unless the licensee or member of INSTA-CERT gives at least three months notice to the contrary. The licence will be re-issued with an amended "date of valid edition" only if the content and/or conditions of the licence have been changed.

The licence is not transferable.

MEMBER OF INSTA-CERT

SP Sveriges Tekniska Forskningsinstitut

Lennart Månsson